


STATE OF ARIZONA

ASBESTOS NESHAP NOTIFICATION FORMS RENOVATION AND DEMOLITION ACTIVITIES



Arizona Department of Environmental Quality
Air Quality Compliance Section
Asbestos NESHAP Program
1110 West Washington Street
Phoenix, Arizona 85007
Telephone: (602) 771-2333 or (602) 771-4553
Fax: (602) 771-2299
Toll free in-State: (800)-234-5677 x2333 or x4553
<http://www.azdeq.gov/environ/air/asbestos/index.html>

NESHAP NOTIFICATION FOR RENOVATION AND DEMOLITION ACTIVITIES

YAVAPAI County, Arizona - Revised September 2007

National Emission Standards for Hazardous Air Pollutants (NESHAP)

THIS LINE FOR NESHAP REGULATORY AGENCY USE	U. S. Postal Service Postmark Date:	Commercial Delivery Service Delivery Date:	Other Hand Delivery Date:	ACTS#:		
1. TYPE OF NOTIFICATION: () Original; () Revision 1; () Revision 2; () Revision 3; () Revision 4; () Revision 5; () Cancel						
2a. FACILITY OWNER INFORMATION						
Name of Company or Individual:						
Address:						
City/Community:			State:	Zip:		
Contact Person:		Telephone:	Fax:			
2b. ASBESTOS REMOVAL CONTRACTOR/OPERATOR:						
Address:						
City:			State:	Zip:		
Contact Person:		Telephone:	Fax:			
2c. DEMOLITION CONTRACTOR/OPERATOR:						
Address:						
City:			State:	Zip:		
Contact Person:		Telephone:	Fax:			
3. TYPE OF OPERATION: () Renovation, () Emergency Renovation, () Demolition, () Ordered Demolition, () Annual Non-scheduled Operations						
4. PROVIDE DATE OF THOROUGH INSPECTION OF FACILITY, OR AFFECTED PART BY AN AHERA (Asbestos Hazard Emergency Response Act) CERTIFIED BUILDING INSPECTOR]				DATE:		
5. FACILITY DESCRIPTION (Attach site location map for multiple structures at one street address or installation)						
Building Name:		Visible Signage:				
Street Address:		Identifying Features:				
City:	County: YAVAPAI	State: AZ	Zip:			
City/County Renovation Permit#:		City/County Demolition Permit#:				
Building Size in Floor Area (Sq. Ft.)		Number of Floors Affected:	Age of Facility:			
If Residential, Number of Dwelling Units:		Present Use:	Prior Use:			
6. PROCEDURE, INCLUDING ANALYTICAL METHOD, EMPLOYED TO DETECT THE PRESENCE OF RACM AND CATEGORY I AND CATEGORY II NONFRIABLE ACM. () Polarized Light Microscopy-PLM; () Point Counting; () Assumed; () Other _____						
NVLAP Laboratory Name _____ Number of Samples _____ Date Analyzed _____						
7. APPROXIMATE AMOUNT OF ASBESTOS, INCLUDING: *NOTE: Update notice when amount of RACM changes at least 20% RACM = Regulated Asbestos-Containing Material as defined in 40 CFR 61, Subpart M, Asbestos NESHAP §61.141		Amount of RACM to be Removed or Generated*	Amount of Nonfriable ACM to be removed		Amount of Nonfriable ACM not to be removed during demo	
			CAT I	CAT II	CAT I	CAT II
On Facility Components; Pipes (Linear Feet)						
On Facility Components; Surface Area (Square Feet)						
Off Facility Components; Volume (Cubic Feet)						
8. DATES FOR ASBESTOS REMOVAL Start Date: _____ Completion Date*: _____			Days of Operations: M T W TH F SA SU			
9. DATES FOR DEMOLITION Start Date: _____ Completion Date*: _____			Hours of Operations: _____			
Mail/Deliver to:	Copy of Notice to:	Copy of Notification to Renovation/Demolition Permitting Agency where Affected Facility is Located:				
Arizona DEQ/AQD Attn: Asbestos Coordinator 1110 W. Washington Phoenix, AZ 85007 602-771-2333	ADOSH Attn: Supervisor of Industrial Hygiene 800 W Washington Phoenix, AZ 85007 602-542-5795	Town of Camp Verde Planning & Zoning Attn: Building Official 473 S Main St #108 Camp Verde, AZ 86322 928-567-8513 or 8514	City of Prescott Building Dept. Attn: Building Official 7501E Civic Circle PO Box 2059 Prescott, AZ 86302 928-777-1356	Town of Prescott Valley Building Dept. Attn: Building Official 7501E Civic Circle Prescott Valley, AZ 86312 928-759-3054	City of Sedona Community Dev Attn: Building Official 102 Roadrunner Sedona, AZ 86336 928-282-1154	City of Cottonwood Community Dev Attn: Building Official 827N Main St Cottonwood, AZ 86326 928-634-5505

Instructions for Completing the NESHAP Notification Form

As per Title 40 Code of Federal Regulations Part 61, Subpart M, Asbestos NESHAP Section 61.145(b)(4), the notification form will not be considered complete without this information. The following information is required to be included on notifications submitted, prior to the start of the renovation and/or demolition activity.

- Line 1 Indicate Original or Revised Notification
- Line 2a Facility Owner Information: provide name, address, and telephone number
- Line 2b Asbestos Removal Contractor/Operator: provide name address, and telephone number
- Line 2c Demolition Contractor/Operator: provide name, address, and telephone number
- Line 3 Type of Operation: type of planned work
- Line 5 Facility Description: provide size (square feet), number of floors, age, present and prior use, location, street address; and if appropriate, building number or name, floor number, and room number
- Line 6 Procedure(s), including analytical method(s) employed to detect the presence of Regulated Asbestos Containing Material (RACM), Category I and Category II nonfriable ACM.
- Line 7 List amount of Regulated Asbestos Containing Material (RACM) to be removed or generated.
List amounts of Category I and Category II nonfriable ACM that will not be removed before demolition.
- Line 8 Start and Completion dates for Asbestos Removal/Renovation
**NOTE: Start date is defined when asbestos containing material(s) are being removed or disturbed.*
- Line 9 Start and Completion dates for Demolition
**NOTE: Start date of demolition is defined when the wrecking or taking out of any load-bearing structural support member of a facility together with any related handling operations or the intentional burning of a facility begins.*
- Line 10 Description of Demolition and/or Renovation Work
- Line 11 Description of Work Practices/Engineering Controls to be used to prevent asbestos emissions to the outside air.
- Line 12(a)(b) Waste Transporter(s): provide name, address, and telephone number
- Line 13 Waste Disposal Site: provide name and location of where generated asbestos containing material will be deposited.
- Line 14 Ordered Demolitions: **NOTE: attach copy of the demolition order with the notification*
- Line 15 Emergency Renovations: **NOTE: provide all information requested on notification form*
- Line 16 Description of procedures to be followed in the event that unexpected RACM is found or Category I or Category II nonfriable ACM becomes crumbled, pulverized, or reduce to powder.
- Line 17 Signature verifying that at least one on-site trained representative is present at the facility site where the stripping and removal of regulated asbestos containing material is occurring at all times during that stripping and removal. **NOTE: the on-site trained representative is equivalent to the 40-hour AHERA Contractor/Supervisor training*
- Line 18 Provide the name and certification of individual(s) that completed the thorough asbestos survey on the affected facility, or if material is assumed to contain asbestos, write "assumed".

Asbestos Demolition and Renovation Activities NESHAP Notification Process

Purpose of Program

To protect public health from exposure to regulated asbestos-containing material (RACM) during National Emission Standards for Hazardous Air Pollutants (NESHAP) facility renovation and/or demolition activities, asbestos removal, transport and disposal, and closely monitoring those activities for proper notification and asbestos emissions control. Asbestos is a known human carcinogen and is known to cause other respiratory diseases.

What are the requirements?

Prior to the commencement of demolition or a renovation activity of a regulated facility an Asbestos Hazard Emergency Response Act (AHERA) certified building inspector must thoroughly inspect the facility or part of the facility where the demolition or renovation operation will occur for the presence of asbestos, including Category I and Category II non-friable asbestos-containing materials.

Notification Time Frame

An original notification is required to be submitted to the agency 10 working days (counting Monday through Friday) prior to the start of a renovation activity involving the removal or disturbance of threshold amounts of regulated asbestos containing materials. Threshold amounts being:

- 260 linear feet or more on pipes
- 160 square feet or more on other facility components
- 35 cubic feet or more off facility components

A Notification is required to be submitted for all demolition activities, even when no asbestos is present.

Notification Fees

There are no fees associated with the notification process.

What is considered a Renovation Activity?

A renovation means altering a facility or one or more facility components in any way, including the stripping or removal of RACM from a facility component. Operations in which load-supporting structural members are wrecked or taken out are demolitions.

What is considered a Demolition Activity?

A demolition means the wrecking or taking out of any load-supporting structural member of a facility together with any related handling operations or the intentional burning of any facility.

What is considered a regulated facility?

A facility is any institutional, commercial, public, industrial or residential structure, installation, or building (including any structure, installation, or building containing condominiums or individual dwelling units operated as a residential cooperative, but excluding residential building having four or fewer dwelling units); any ship; and any active or inactive waste disposal site. For purposes of this definition, any building, structure, or installation that contains a loft used as a dwelling unit is not considered a residential structure, installation, or building. Any structure, installation or building that was previously subject to this subpart is not excluded, regardless of its current use or function. Including facility components; any part of a facility including equipment.

What Facilities are exempted?

A single residential home or structure containing one to four dwelling units. (unless classified as an installation; meaning any building or structure or any group of buildings or structures at a single demolition or renovation site that are under the control of the same owner or operator or owner or operator under common control).

ADEQ Asbestos NESHAP Program Contact

Arizona Department of Environmental Quality – Air Quality Compliance Section
Asbestos NESHAP Program
1110 W. Washington Street, Phoenix, Arizona 85007
(602) 771-2333 or (602) 771-4553 Fax (602) 771-2299
www.azdeq.gov/environ/air/asbestos/index.html

Toll free: (800)-234-5677 Ext. 771-2333 or 771-4553

Work completed on Arizona Tribal Lands is regulated by EPA Region IX Asbestos NESHAP Program: (415) 972-3989

Statutory Citations

Title 40, Code of Federal Regulations, Part 61, Subpart M, Asbestos NESHAP; Arizona Revised Statutes § 49-421 et. seq. and § 49-471 et. seq.; Arizona Administrative Code R-18-2-1101.



TOWN OF CAMP VERDE
Community Development Department
Building Division
473 S. Main Street, Suite 108
Camp Verde, AZ 86322
(928) 567-8514 • Fax (928) 567-7401

DATE
 REC'D: _____

PERMIT
 NO. _____

APPLICATION FOR PERMIT

PROPERTY AND BUILDING INFORMATION

PARCEL NO: _____ LEGAL DESCRIPTION _____
 PROJECT ADDRESS _____
 DESCRIPTION OF PROJECT _____ IMPACT FEES APPLY: YES NO
 HAS WORK COMMENCED ON THIS PROPERTY? _____ SQUARE FOOTAGE _____ APPLICANT'S VALUATION _____
 PROJECT TYPE: RESIDENTIAL COMMERCIAL INDUSTRIAL NEW ALTERATION/REMODELING ADDITION DEMOLITION

PROPERTY OWNER INFORMATION

OWNER NAME _____
 MAILING ADDRESS _____ CITY _____
 STATE _____ ZIP _____ PHONE _____

Attention Applicant: If you are not the owner of this parcel, you must have something in writing from the owner granting you permission to take out this permit. Also, if you recently purchased this parcel you may have to show proof of ownership documentation.

APPLICANT OR CONTRACTOR INFORMATION

OWNER AGENT CONTRACTOR TENANT

APPLICANT NAME _____
 MAILING ADDRESS _____ CITY _____
 STATE _____ ZIP _____ PHONE _____
 CONTRACTOR'S LICENSE # _____ CLASS _____ TOWN BUSINESS LICENSE # _____

THE FOLLOWING INFORMATION IS REQUIRED FOR COMMERCIAL, INDUSTRIAL, AND MULTI-FAMILY PROJECTS ONLY

PROPOSED USE _____ EXISTING USE _____
 PROPOSED CONSTRUCTION TYPE WALLS: Combustible Non-Combustible ROOF STRUCTURE: Combustible Non-Combustible
 EXISTING CONSTRUCTION TYPE WALLS: Combustible Non-Combustible ROOF STRUCTURE: Combustible Non-Combustible
 IF THIS IS AN EXISTING BUILDING, DOES IT HAVE A FIRE SPRINKLER SYSTEM?: _____ FIRE ALARM SYSTEM?: _____
 OCCUPANCY LOAD: _____ IBC OCCUPANCY TYPE: _____ IBC CONSTRUCTION TYPE: _____

CURRENT CODE REQUIREMENTS:

2006 INTERNATIONAL BUILDING CODE 2006 INTERNATIONAL RESIDENTIAL CODE
 2005 NATIONAL ELECTRIC CODE 2003 INTERNATIONAL FIRE CODE 2006
 INTERNATIONAL MECHANICAL CODE 2006 ENERGY CONSERVATION CODE
 2006 INTERNATIONAL PLUMBING CODE 2006 EXISTING BUILDING CODE
 2006 INTERNATIONAL FUEL GAS CODE

The Applicant assumes all responsibility for complying with any deed restrictions (CC&R's) that may apply to the property.


UNDER PENALTY OF INTENTIONAL MISREPRESENTATION AND/OR PERJURY, I DECLARE that I have examined and/or made this application and it is true and correct to the best of my knowledge and belief. I agree to construct said improvement in compliance with all provisions of the Ordinances of the Town of Camp Verde. I realize that the information that I have stated heron forms a basis for the issuance of the Building Permit herein applied for and approval of any plans in connection therewith shall not be construed to permit any construction upon said premises or use thereof in violation of any provision of the Town Code or any other ordinance or to excuse the owner or his successors in from complying therewith. WHERE NO WORK HAS BEEN STARTED WITHIN 180 DAYS AFTER THE ISSUANCE OF A PERMIT OR WHEN MORE THAN 180 DAYS LAPSES BETWEEN APPROVAL OF REQUIRED INSPECTIONS, SUCH PERMIT SHALL BE VOID. I hereby certify that I am the OWNER at this address or that, for the purposes of obtaining this approval; I am acting on behalf of the owner. All contract work on this project will be done by a contractor holding a valid privilege tax license and contractor's license issued by the State of Arizona and the Town of Camp Verde.

OWNER APPLICANT (Special Power of Attorney or Agent)
 NAME (Printed) _____ SIGNATURE: _____

BUILDING		
ELECTRICAL		
PLUMBING		
ZONING CLEARANCE		
MECHANICAL		
POOLS		
FENCES		
DEPOSIT		
TOTAL		
RECEIPT#:		
CHECK #		
APPLICATION TAKEN BY:		

TOWN OF CAMP VERDE
COMMUNITY DEVELOPMENT DEPARTMENT
PLOT PLAN SKETCH

Show lot/parcel lines and dimensions, adjacent streets and alleys, front of property, driveway, location of all proposed and existing buildings including dimensions, all building setbacks and distances between buildings, location of septic tank and leach lines, locations of incoming water yard lines and meter, electric yard line and meter, gas lines and tanks, any terrain features that affect placements, location and dimensions of easements and any washes, creeks or ditches within 20 feet of the property.



PERMIT #	ASSESSOR'S PARCEL #	ADDRESS

I/we certify that the proposed construction will conform to the dimensions and uses shown and that no changes will be made without first obtaining approval. All structures (including fences, walls and pads, correct setback distances, legal access and easements, cuts, fills, drainage and any water course on or adjacent to the property within 20 feet of any proposed or existing structure has been indicated.



Scale: _____

Approved By: _____

Date: _____

 Signature of Owner or Authorized Representative

 Date

STATE OF ARIZONA

Department of Revenue



Janet K Brewer
Governor

Gale Garriott
Director

June 23, 2010

City of Campe Verde
Community Dev. Director
473 S Main St Ste 102
Campe Verde, Arizona 86322

Dear Building Official:

This is to let you know that we are in the process of mailing annual certificates to construction contractors for purposes of compliance with **ARS § 42-5007**. This law requires that building authorities obtain a certificate from the Department of Revenue to ensure that the bonding requirement has been met prior to the issuance of any building permit for projects of \$50,000 or more in value. All qualified contractors should receive their certificate by July 31, the expiration date of the last certificates.

There are three versions of certificates that represent compliance with the bond requirement: An annual certificate issued by the Department of Revenue; a one-time exemption; and a receipt for a bond for the actual project. Please note that the one-time exemption and receipt for bond must specify the location of the project site. Examples of the different types of certificates are enclosed for reference, along with the guidelines for compliance with this law.

For any questions regarding these procedures or assistance to contractors, please contact the Bond Compliance Officers at (602) 716-6056.

Sincerely,

Tom Waters
Administrator
License & Registration

32-1169. Local proof of valid license; violation; penalty

A. Each county, city or other political subdivision or authority of this state or any agency, department, board or commission of this state which requires the issuance of a building permit as a condition precedent to the construction, alteration, improvement, demolition or repair of a building, structure or other improvement to real property for which a license is required under this chapter, as part of the application procedures which it utilizes, shall require that each applicant for a building permit file a signed statement that the applicant is currently licensed under the provisions of this chapter with the applicant's license number and the applicant's privilege license number required pursuant to section 42-5005. If the applicant purports to be exempt from the licensing requirements of this chapter, the statement shall contain the basis of the asserted exemption and the name and license number of any general, mechanical, electrical or plumbing contractor who will be employed on the work. The local issuing authority may require from the applicant a statement signed by the registrar to verify any purported exemption.

B. The filing of an application containing false or incorrect information concerning an applicant's contractor's license or transaction privilege license with the intent to avoid the licensing requirements of this chapter is unsworn falsification pursuant to section 13-2704.

I am currently a licensed contractor: Name _____

License No. ROC _____ License Class _____

Signature _____ Title: _____

EXEMPTION FROM LICENSING

I am exempt from Arizona contractors' license laws on the basis of the license exemptions contained in A.R.S. §32-1121A, namely:

- A.R.S. §32-1121A.5 – I am the owner/builder of the property and the property will not be sold or rented for at least one year after completion of this project.
- A.R.S. §32-1121A.6 – I am the owner/developer of this property and I will contract with a licensed general contractor to provide all construction services. All contractors' names and license numbers will be included in all sales documents.
- Other - _____
(Please specify)

I understand that the exemption provided by A.R.S. §32-1121A.14 (the Handyman Exemption) does not apply to any construction project which requires a building permit and/or the total cost of materials and labor are \$1000 or more.

I will be using the following licensed contractors on this project:

_____ License No. ROC _____ Class _____
(General Contractor)

_____ License No. ROC _____ Class _____
(Mechanical Contractor)

_____ License No. ROC _____ Class _____
(Electrical Contractor)

_____ License No. ROC _____ Class _____
(Plumbing Contractor)

SIGNATURE _____ DATE _____

Falsification of information on this document for the purpose of evading State licensing laws is a Class II misdemeanor pursuant to A.R.S. §13-2704.

Additional information

A list of consulting firms to assist in the design of proper asbestos removal operations, asbestos abatement contractors having the equipment and expertise to properly remove, document, transport and dispose of the asbestos-containing wastes and approved landfills for the disposal of asbestos-containing waste materials can be found on the agency Web site at: www.azdeq.gov/environ/air/asbestos/index.html click on "Asbestos Contact Directory"



Janet Napolitano, Governor
Stephen A. Owens, ADEQ Director

Main Office

1110 W. Washington St., Phoenix, AZ 85007
(602) 771-2300 AZ Toll Free: (800) 234-5677

(602) 771-4829 (Hearing impaired)

E-mail: asbestos@azdeq.gov

Northern Regional Office

1801 W. Route 66, Suite 117, Flagstaff, AZ 86001
(928) 779-0313 E-mail: nro@azdeq.gov

Southern Regional Office

400 W. Congress, Tucson, AZ 85701
(520) 628-6733 E-mail: sro@azdeq.gov

Community Liaisons

Northwestern Arizona - (928) 779-0313 E-mail: nwaz@azdeq.gov
Northeastern Arizona - (928) 337-3565 E-mail: neaz@azdeq.gov
Southwestern Arizona - (928) 373-9432 E-mail: swaz@azdeq.gov
Southeastern Arizona - (928) 348-3040 E-mail: seaz@azdeq.gov

DISCLAIMER


The information presented here is merely a guideline and does not cover all of the asbestos NESHAP requirements. For further details, contact ADEQ's Asbestos NESHAP Program Coordinator at (602) 771-2333.

Publication Number: C 08-03
April 2008

WHAT SMALL COMMUNITIES NEED TO KNOW ABOUT ASBESTOS DEMOLITION AND RENOVATION PRACTICES



Janet Napolitano, Governor
Stephen A. Owens, ADEQ Director



The purpose of this document is to outline the environmental requirements for facility demolitions and renovations. Most structures which small communities demolish or renovate are subject to federal regulations concerning asbestos, specifically the National Emissions Standards for Hazardous Air Pollutants (NESHAP) found in Title 40 Code of Federal Regulations (CFR) Part 61, Subpart M, Asbestos-NESHAP.

In Arizona, the Arizona Department of Environmental Quality (ADEQ), in close coordination with the U.S. Environmental Protection Agency, administers the federal and state asbestos programs. These federal regulations have been adopted as Title 18 Chapter 2 Section 1101 (A)(8) of the Arizona Administrative Code (AAC).

Why is Asbestos Regulated?

Asbestos is a known human carcinogen and Asbestos-Containing Materials (ACM), if handled improperly during disturbance, can release asbestos fibers that can become airborne, can remain suspended almost indefinitely and can travel great distances from their point of disturbance. The Asbestos-NESHAP regulations are intended to help protect public health and the environment by minimizing the release of asbestos fibers into the air as a result of the processes that occur during the handling of ACM from their initial disturbance to their proper disposal as asbestos-containing waste.

What Types of Facilities and Activities are Regulated?

Facility (normally a building) renovations are subject to asbestos NESHAP if threshold amounts of regulated asbestos-containing materials (RACM) are disturbed. Threshold amounts of RACM are:


- 260 linear feet (measurement for material on pipes)
- 160 square feet (measurement for material on surface area)
- 35 cubic feet (measurement for material off facility components; i.e. waste)

NOTE: The Occupational Safety and Health Administration (OSHA) regulates asbestos in the work place. Therefore, small communities should also be aware of, and adhere to, OSHA requirements (in addition to NESHAP requirements) for the safety of the work force and unprotected third parties potentially exposed to asbestos during demolition and renovation activities.

Are There Any Common Exemptions to the Facilities Rules?

Yes. A single, residential building with four or fewer dwelling units may be exempt from Asbestos NESHAP requirements, if the building has never been used for commercial purposes, and the renovation or demolition activities are not part of a larger project (i.e. additional renovations or demolitions). It is recommended that your community contact ADEQ to verify whether a residential building qualifies for this exemption.

Even if your facility is an exempt project, ADEQ encourages the use of proper procedures for inspections, approved work practices for asbestos removal that include the use of proper personal protective equipment, and proper disposal of asbestos-containing waste. Also, OSHA requirements may still apply to a NESHAP-exempt project.



What Are the Steps for NESHAP Compliance?

A thorough inspection (asbestos survey) must first be completed to identify and quantify ACM in a structure. This means an inspection during which all suspect asbestos-containing materials are identified and the materials are assumed to contain asbestos or must be sampled and analyzed by an approved laboratory to determine their asbestos content. In either case the agency recommends that an Asbestos Hazard Emergency Response Act (AHERA) trained and certified building inspector complete inspections. A list of consulting firms having individuals with this certification, and approved laboratories for testing suspect asbestos containing materials can be found on the agency Web site at: www.azdeq.gov/enviro/air/asbestos/index.html click on "Asbestos Contact Directory"

If asbestos is found above threshold amounts, it must be properly removed, managed and disposed, prior to disturbance of the surrounding materials. Notification to ADEQ is required prior to this abatement work beginning.


If asbestos is not found, or is determined to not exceed threshold amounts, renovation projects may continue without further NESHAP requirements. However, demolition projects regardless of asbestos content require notification to ADEQ, prior to the demolition work beginning.

How Are the Notification Requirements Conducted?

Asbestos Notification for Renovation and Demolition Activities for all Arizona counties and Tribal Lands can be found on the agency Web site at www.azdeq.gov/enviro/air/asbestos/index.html. Click on the appropriate county. All notifications are required to be postmarked 10 working days prior to the disturbance of asbestos or beginning of the demolition, with the date of the postmark counting as day zero in the notification process.

What Are the Proper Asbestos Abatement and Management Procedures?

OSHA in 29 CFR 1926.1101 specifies the use of: regulated areas, HEPA vacuums, wet methods, prompt cleanup and disposal, use of leak-tight containers, containment and local exhaust systems equipped with HEPA filtration. These techniques have proven effective in addressing the management of airborne asbestos fibers and asbestos-containing waste materials during the abatement of RACM in facilities to be demolished or renovated.



Never Burn Asbestos-Containing Materials

It is illegal and releases asbestos fibers into the air. Please refer to ADEQ's brochure entitled, "What Small Communities and Firefighters Need to Know About Asbestos in Buildings" (www.azdeq.gov/function/compliance/download/ecos_asb.pdf) for information on fire training burns.